

List of varieties registered in the Czech Republic in 2024*

Crop	Variety denomination (country where the variety was bred**)
Brown top (<i>Agrostis capillaris</i> L.)	Shortcut (US)
Creeping bent (<i>Agrostis stolonifera</i> L.)	Chinook (US)
Spring onion (<i>Allium cepa</i> L. var. <i>cepa</i>)	Dorotea (IT), Luna Rossa (IT), Salinas (IT)
Welsh onion (<i>Allium fistulosum</i> L.)	Everest (NL)
Spring garlic (<i>Allium sativum</i> L.)	Matinka (CZ)
Winter garlic (<i>Allium sativum</i> L.)	Skalka (CZ)
Chives (<i>Allium schoenoprasum</i> L.)	Wulkan (PL)
Spring oat (<i>Avena sativa</i> L.)	Asterion (DE)
Beetroot (<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>conditiva</i> Alef.)	Burpees Golden (PL), Okrągły Regulski (PL)
Sugar beet (<i>Beta vulgaris</i> L. var. <i>altissima</i> Döll)	Adorata KWS (DE), BTS 1715 (DE), BTS 2095 N (DE), BTS 2795 N (DE), BTS 7945 N (DE), Cobalt (DK), Jovanka KWS (DE), Smart Adiella KWS (DE), Smart Imelda KWS (DE), Smart Modenta KWS (DE)
Fodder beet (<i>Beta vulgaris</i> L. var. <i>crassa</i> Mansf.)	Bangor (DK), Enermax (DK)
Winter swede rape (<i>Brassica napus</i> L. (partim))	Andor (DE), LG Aphrodite (FR), LG Avenger (FR), LID Invicto (FR), LID Sandro (FR), Luisa (CZ), Nebraska (DE), Nicky (AT), PT323 (FR)
Cauliflower (<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i> L.)	Mirella (NL)
White cabbage (<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC.)	Autumn Baron (NL), Dallas (NL), Dolmas (GR)
Chinese cabbage (<i>Brassica rapa</i> L. subsp. <i>pekinensis</i> (Lour.) Hanelt)	Bruce (NL), Scarnade (NL)
Pepper (<i>Capsicum annuum</i> L.)	Break (IT), Cremina (PL), Hungarian Sweet Wax (PL), Jalapeno M (PL), Sciscitou (IT), Smile (IT), Trinidad (GR)
Caraway (<i>Carum carvi</i> L.)	Luban (CZ)
Watermelon (<i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai)	Crimson Sweet (PL), SS 009 (IT)
Gherkin (<i>Cucumis sativus</i> L.)	Artemis (CZ)
Cucumber (<i>Cucumis sativus</i> L.)	Andromeda (CZ), Delikateß (PL), Electric (GR)
Pumpkin (<i>Cucurbita maxima</i> Duchesne)	Rugby (CZ)
Squash (<i>Cucurbita maxima</i> Duchesne × <i>Cucurbita moschata</i> Duchesne)	Bolt (CZ), RM 703 (GR), RM 707 (GR)
Carrot (<i>Daucus carota</i> L.)	Amsterdam 3 (PL), Karotan (PL), Nantes 2 (PL), Opus (PL), Vera (CZ)
Tall fescue (<i>Festuca arundinacea</i> Schreb.)	Ambit (US), Avenger III (US), Darlington II (US), Dynamite G-LS (US), Hero (US), Honourguard (US), Inlustris G-LS (US), Provize (CZ), Raptor LS (US), Sitka (US), Spyder 2LS (US), Talladega II (US), Tank (US), Teacher (US), Titanium G-LS (US), Tuff (US)
Meadow fescue (<i>Festuca pratensis</i> Huds.)	Draco (CZ), Predor (CZ)
Red fescue (<i>Festuca rubra</i> L.)	King James (US), Sebastian (CZ)
Soya bean (<i>Glycine max</i> (L.) Merr.)	Adelfia (AT), Ancagua (AT), Sussex (DE)
Spring barley (two rows) (<i>Hordeum vulgare</i> L.)	LG Lokal (CZ), LG Tuplak (CZ), Ranee (DE), Sting (DE)
Winter barley (two rows) (<i>Hordeum vulgare</i> L.)	Organa (DK)
Winter barley (six rows) (<i>Hordeum vulgare</i> L.)	KWS Antonis (DE), RGT Alessia (DE)

<https://doi.org/10.17221/16/2025-CJGPB>

Crop	Variety denomination (country where the variety was bred**)
Walnut (<i>Juglans regia</i> L.)	Moravian Mamut (CZ), Red Moravian (CZ)
Lettuce (<i>Lactuca sativa</i> L.)	Lollo (PL), Syrena (PL)
Italian ryegrass (<i>Lolium multiflorum</i> Lam. ssp. <i>italicum</i> (A.Br.) Volkart)	Camomyl (FR), Illico (FR)
Westerwold ryegrass (<i>Lolium multiflorum</i> Lam. var. <i>westerwoldicum</i> Wittm.)	Rossi (CZ), Transition (US)
Perennial ryegrass (<i>Lolium perenne</i> L.)	Barhodium (NL), Buddy (US), Endless (DE), Lulu (NL), Maracanã (US), Pavel (CZ), Polly (NL), Recover (US), Savant (US), Stellar 4GL (US)
White lupin (<i>Lupinus albus</i> L.)	Zubejda (CZ)
Alfalfa (<i>Medicago sativa</i> L.)	Andantino (DK), Cigale (DK)
Poppy (<i>Papaver somniferum</i> L.)	Emanuel (CZ)
Root parsley (<i>Petroselinum crispum</i> (Mill.) Nym. ex A.W. Hill var. <i>tuberosum</i> (Bernh.) Mart Crov.)	Osat (CZ)
California bluebell (<i>Phacelia tanacetifolia</i> Benth.)	Onica (CZ)
Runner bean (<i>Phaseolus coccineus</i> L.)	Eureka (PL)
Dwart French bean (<i>Phaseolus vulgaris</i> L.)	Galopka (PL), Supernano giallo (PL)
Field pea (<i>Pisum sativum</i> L.)	Kepler (CZ), Regent (CZ), Symbios (FR)
Smooth-stalken meadowgrass (<i>Poa pratensis</i> L.)	Blue Gem (US), Kelly (US), Merit (US), Powergreen (NL), Tirem (US), Umbrano (NL)
Apricot (<i>Prunus armeniaca</i> L.)	Armen (CZ)
Pear × Sand pear (<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Mak.) Nakai × <i>Pyrus ussuriensis</i> Maxim.)	Zaosu Li (CN)
Winter rye (<i>Secale cereale</i> L.)	SU Glacia (DE), SU Perspectiv (DE)
Foxtail millet (<i>Setaria italica</i> (L.) P. Beauv.)	Ruberit (CZ), Rucereus (CZ)
White mustard (<i>Sinapis alba</i> L.)	MHR Palma (PL)
Tomato – determinante (<i>Solanum lycopersicum</i> L.)	Coccinella (GR), Marzano P 4 (PL)
Tomato – indeterminante (<i>Solanum lycopersicum</i> L.)	Allurea (NL), Black Beauty (PL), Black Plum (PL), Fellini (IT), Nightshade (NL), Pioppi (NL), SS 1427 (IT), Sunrosa (IT), Tutti (NL)
Eggplant (<i>Solanum melongena</i> L.)	Baladona (NL), SS 304 (IT), Vittoria (IT)
Potato (<i>Solanum tuberosum</i> L.)	Golem (CZ), Pacovský rohlík (CZ), Vespa (CZ)
Sorghum (<i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i>)	Rufuss (CZ), Trail Boss BMR (US)
Sorghum × Sudan-grass (<i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i> × <i>Sorghum bicolor</i> (L.) Moench subsp. <i>drummondii</i> (Steud.) de Wet ex Davise)	Big Bertha BMR (US), Forage King (US), Ranger BMR (US)
Red clover (<i>Trifolium pratense</i> L.)	Folarin (CZ), Ragnar (CZ)
Red clover × zigzag clover (<i>Trifolium pratense</i> L. × <i>Trifolium medium</i> L.)	Pramedi (CZ)
Golden oatgrass (<i>Trisetum flavescens</i> (L.) P. Beauv.)	Palomino (CZ)
Spring wheat (<i>Triticum aestivum</i> L. subsp. <i>aestivum</i>)	Coco (CZ), KWS Carusum (DE), Kelda (CZ), Pireus (DE) WPB Francis (NL)
Winter wheat (<i>Triticum aestivum</i> L. subsp. <i>aestivum</i>)	Hobby (CZ), Inka (CZ), LG Niklas (FR), Luxus (CZ), Maxus (DE), Vagabund (DE)
Spring durum wheat (<i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) van Slageren)	Ruzydur (CZ)
Broad bean (<i>Vicia faba</i> L.)	Rosa (PL), The Sutton (PL)
Vine (<i>Vitis</i> L.)	Modrý Janek (CZ), Ruby Pinot (CZ)

<https://doi.org/10.17221/16/2025-CJGPB>

Crop	Variety denomination (country where the variety was bred**)
Maize (<i>Zea mays</i> L. (partim))	Agile (US), Agroduro (DE), Amarola (DE), Apriolo (AT), Boheminga (AT), Consilio (DE), Determino (DE), DKC3148 (US), DKC3247 (US), DKC3747 (US), Emmastone (FR), Evenia (US), Glatt (AT), Greystone (FR), Ibarama (FR), KWS Adorado (DE), KWS Arturello (DE), KWS Go (DE), KWS Charlino (DE), KWS Leandro (DE), KWS Virilio (DE), LG31271 (FR), LID1145C (FR), LID1810C (FR), LID2155C (FR), Meditia (US), Nataelo (DE), P7647 (FR), P7818 (FR), P8317 (FR), P8436 (FR), P9091 (FR), P9255 (FR), P9398 (FR), Philippeen (FR), RGT Cedexx (FR), RGT Galopixx (FR), RGT Oddaxx (FR), RGT Poxxtal (FR), RGT Trapixx (FR), SM Varsovia (PL), SU Keldeo (US), SY Granaris (FR), SY Remco (FR), Tarraco (AT), Tiviera (US), Uyuni (FR), Variolo (DE), Victorello (DE), Wesley (FR)
<i>Festulolium</i> (× <i>Festulolium</i> Asch. et Grabn.)	Prodigest (CZ)
Winter triticale (× <i>Triticosecale</i> Wittm. ex A. Camus)	Rivolt (FR)

*Passport data (descriptions) of the varieties are available on the website of the Central Institute for Supervising and Testing in Agriculture: <http://eagri.cz/public/app/sok/odrudyNouQF.do>

**According to information of the applicant for National Listing of Plant Varieties

Corresponding author:

Ing. TOMÁŠ MEZLÍK, National Plant Variety Office, Central Institute for Supervising and Testing in Agriculture, Brno, Czech Republic; e-mail: nou@ukzuz.cz
