

INDEX OF VOLUME 50 (2014)

BADAWY M.E.I., ABDELGALEIL S.A.M., SUGANUMA T., FUJI M.: Antibacterial and biochemical activity of pseudoguaianolide sesquiterpenes isolated from <i>Ambrosia maritima</i> against plant pathogenic bacteria	64
ÇIRAK C., RADUSIENE J., AKSOY H.M., MACKINAITE R., STANIUS Z., CAMAS N., ODABAS M.S.: Differential phenolic accumulation in two <i>Hypericum</i> species in response to inoculation with <i>Diploceras hypericinum</i> and <i>Pseudomonas putida</i>	119
DARVISHZADEH A., BANDANI A., MOUSAVI S.Q.: Biochemical characterisation of α -amylase in two aphid species, <i>Aphis fabae</i> Scopoli (Hemiptera: Aphididae) and <i>A. gossypii</i> Glover (Hemiptera: Aphididae)	84
DOĞMUŞ-LEHTIJÄRVI H.T., KAYA A.G.A., LEHTIJÄRVI A., OSKAY F., KAYA Ö.D.: Occurrence and genetic dimilarity of <i>Diplodia pinea</i> on shoots and cones in seed orchards of <i>Pinus</i> spp. in north-western Turkey	217
ELIMEM M., TEIXEIRA DA SILVA J.A., CHERMITI B.: Double-attraction method to control <i>Frankliniella occidentalis</i> (Pergande) in pepper crops in Tunisia	90
FARAHPOUR HAGHANI A., HOSSEINI R., EBADI A.A., AALAMI A.: Genetic variation of <i>Chilo suppressalis</i> Walker (Lepidoptera: Pyralidae) populations in Guilan and west of Mazandaran provinces analysed with RAPD markers	26
FOLLAK S., ALDRIAN U., SCHWARZ M.: Spread dynamics of <i>Abutilon theophrasti</i> in Central Europe	157
FRÁNOVÁ J., JAKEŠOVÁ H.: Susceptibility of ten red clover (<i>Trifolium pratense</i>) cultivars to six viruses after artificial inoculation	113
HONĚK A., MARTINKOVÁ Z.: Floral herbivory of an invasive slug on a native weed	151
HORUZ S., CETINKAYA-YILDIZ R., MIRIK M., AYSAN Y.: Occurrence, isolation, and identification of <i>Acidovorax citrulli</i> from melon in Turkey	179
KABIRI R., NASIBI F., FARAHBAKHS H.: Effect of exogenous salicylic acid on some physiological parameters and alleviation of drought stress in <i>Nigella sativa</i> plant under hydroponic culture	43
LEBEDA A., KROFTOVÁ V., KŮDELA V., BRAUNOVÁ M.: Fifty-year anniversary of Plant Protection Science	53
LEHTIJÄRVI A., DOĞMUŞ-LEHTIJÄRVI H.T., OSKAY F.: <i>Cylindrocladium buxicola</i> is threatening the native <i>Buxus sempervirens</i> populations in Turkey – short communication	227
LYGIS V., VASILIAUSKAITE I., MATELIS A., PLIŪRA A., VASAITIS R.: Fungi in living and dead stems and stumps of <i>Pinus mugo</i> on coastal dunes of the Baltic Sea	221
MAGHOLI Z., ABBASIPOUR H., MARZBAN R.: Effects of <i>Helicoverpa armigera</i> nucleopolyhedrosis virus (HaNPV) on the larvae of the diamondback moth, <i>Plutella xylostella</i> (L.) (Lepidoptera: Plutellidae)	184
MERZOUG A., BELABID L., YOUCEF-BENKADA M., BENFREHA F., BAYAA B.: Pea Fusarium wilt races in western Algeria	70
MOHAMMADZADEH TAMAM B., GHADAMYARI M., SAHRAGARD A., KARIMI-MALATI A.: Sublethal effects of spinosad on some biochemical parameters of <i>Xanthogaleruca luteola</i> (Muller.) (Coleoptera: Chrysomelidae)	199

PAVELA R., KAFFKOVÁ K., KUMŠTA M.: Chemical composition and larvicidal activity of essential oils from different <i>Mentha</i> L. and <i>Pulegium</i> species against <i>Culex quinquefasciatus</i> Say (Diptera: Culicidae)	36
PIRI F., SAHRAGARD A., GHADAMYARI M.: Sublethal effects of spinosad on some biochemical and biological parameters of <i>Glyphodes pyloalis</i> Walker (Lepidoptera: Pyralidae)	135
POSLUŠNÁ J., PLACHKÁ E.: Forecasting system for infection risk of phoma stem canker in selected regions of the Czech Republic in 2009–2011	8
SALAUDEEN M.T.: Relative resistance to <i>Rice yellow mottle virus</i> in rice	1
SCIARRETTA A., TREMATERRA P.: Geostatistical tools for the study of insect spatial distribution: practical implications in the integrated management of orchard and vineyard pests	97
SOHRABI F., SHISHEHBOR P., SABER M., MOSADDEGH M.S.: Effects of buprofezin and imidacloprid on the functional response of <i>Eretmocerus mundus</i> Mercet	145
SPITZER T., MATUŠINSKÝ P., SPITZEROVÁ D., BÍLOVSKÝ J., KAZDA J.: Effect of flight activity of stem weevils (<i>Ceutorhynchus napi</i> , <i>C. pallidactylus</i>) and application time on insecticide efficacy and yield of winter oilseed rape	129
SPITZER T., SPITZEROVÁ D., MATUŠINSKÝ P., KAZDA J.: Possibility of using seed treatment to suppress seed-borne diseases in poppy	78
STEJSKAL V., AULICKY R., KUCEROVA Z.: Pest control strategies and damage potential of seed-infesting pests in the Czech stores – a review	165
ŠAFRÁNKOVÁ I.: Occurrence of rust disease caused by <i>Puccinia oxalidis</i> on <i>Oxalis triangularis</i> in the Czech Republic – short communication	17
ŠPAK J., PAVINGEROVÁ D., PŘIBYLOVÁ J., ŠPAKOVÁ V., PAPRŠTEIN F., SEDLÁK J.: <i>Blueberry red ringspot virus</i> eliminated from highbush blueberry by shoot tip culture	174
TAGHIZADEH SAROUKOLAI A., NOURI-GANBALANI G., HADIAN J., RAFIEE-DASTJERDI H.: Antifeedant activity and toxicity of some plant essential oils to Colorado potato beetle, <i>Leptinotarsa decemlineata</i> Say (Coleoptera: Chrysomelidae)	207
TÜRKKAN M., ERPER I.: Evaluation of antifungal activity of sodium salts against onion basal rot caused by <i>Fusarium oxysporum</i> f.sp. <i>cepae</i>	19
VATANPARAST M., HOSSEININAVEH V., GHADAMYARI M., MINOO SAJJADIAN S.: Plant cell wall degrading enzymes, pectinase and cellulase, in the digestive system of the red palm weevil, <i>Rhynchophorus ferrugineus</i> (Coleoptera: Curculionidae)	190
Book Review	
PROKINOVÁ E.: Kůdela V., Ackermann P., Prášil I.T., Rod J., Veverka K.: Abiotikózy rostlin: poruchy, poškození a poranění – Plant abioticosis: disorders, damage and injuries	111
LIST OF REVIEWERS 2013	52

AUTHOR INDEX

- AALAMI A. ... 26
ABBASIPOUR H. ... 184
ABDELGALEIL S.A.M. ... 64
AKSOY H.M. ... 119
ALDRIAN U. ... 157
AULICKÝ R. ... 165
AYSAN Y. ... 179
- BADAWY M.E.I. ... 64
BANDANI A.R. ... 84
BAYAA B. ... 70
BELABID L. ... 70
BENFREHA F. ... 70
BÍLOVSKÝ J. ... 129
BRAUNOVÁ M. ... 53
- CAMAS N. ... 119
CETINKAYA-YILDIZ R. ... 179
CHERMITI B. ... 90
ÇIRAK C. ... 119
- DARVISHZADEH A. ... 84
DOĞMUŞ-LEHTIJÄRVI H.T. ... 217, 227
- EBADI A.A. ... 26
ELIMEM M. ... 90
ERPER I. ... 19
- FARAHBAKHS H. ... 43
FARAHPOUR HAGHANI A. ... 26
FOLLAK S. ... 157
FRÁNOVÁ J. ... 113
FUJI M. ... 64
- GHADAMYARI M. ... 135, 190, 199
- HADIAN J. ... 207
HONĚK A. ... 151
HORUZ S. ... 179
HOSSEININAVEH V. ... 190
HOSSEINI R. ... 26
- JAKEŠOVÁ H. ... 113
- KABIRI R. ... 43
KAFFKOVÁ K. ... 36
- KARIMI-MALATI A. ... 199
KAYA A.G.A. ... 217
KAYA Ö.D. ... 217
KAZDA J. ... 78, 129
KROFTOVÁ V. ... 53
KUCEROVÁ Z. ... 165
KŮDELA V. ... 53
KUMŠTA M. ... 36
- LEBEDA A. ... 53
LEHTIJÄRVI A. ... 217, 227
LYGIS V. ... 221
- MACKINAITE R. ... 119
MAGHOLI Z. ... 184
MARTINKOVÁ Z. ... 151
MARZBAN R. ... 184
MATELIS A. ... 221
MATUŠINSKÝ P. ... 78, 129
MERZOUG A. ... 70
MINOO SAJJADIAN S. ... 190
MIRIK M. ... 179
MOHAMMADZADEH TAMAM B. ... 199
MOSADDEGH M.S. ... 145
MOUSAVI S.Q. ... 84
- NASIBI F. ... 43
NOURI-GANBALANI G. ... 207
- ODABAS M.S. ... 119
OSKAY F. ... 217, 227
- PAPRŠTEIN F. ... 174
PAVELA R. ... 36
PAVINGEROVÁ D. ... 174
PIRI F. ... 135
PLACHKÁ E. ... 8
PLIÛRA A. ... 221
POSLUŠNÁ J. ... 8
PŘIBYLOVÁ J. ... 174
PROKINOVÁ E. ... 111
RADUSIENE J. ... 119
RAFIEE-DASTJERDI H. ... 207
- SABER M. ... 145
ŠAFRÁNKOVÁ I. ... 17

SAHRAGARD A. ... 135, 199
SALAUDEEN M.T. ... 1
SCIARRETTA A. ... 97
SEDLÁK J. ... 174
SHISHEHBOR P. ... 145
SCHWARZ M. ... 157
SOHRABI F. ... 145
ŠPAK J. ... 174
ŠPAKOVÁ V. ... 174
SPITZER T. ... 78, 129
SPITZEROVÁ D. ... 78, 129
STANIUS Z. ... 119
STEJSKAL V. ... 165

SUGANUMA T. ... 64
TAGHIZADEH SAROUKOLAI A. ... 207
TEIXEIRA DA SILVA J.A. ... 90
TREMATERRA P. ... 97
TÜRKKAN M. ... 19
VASAITIS R. ... 221
VASILIAUSKAITE I. ... 221
VATANPARAST M. ... 190
YOUCEF-BENKADA M. ... 70

AUTHOR INSTITUTION INDEX

Algeria

- University of Mascara, Department of Agronomy, Laboratory of Research on Biological Systems
and Geomatics (LRSBG), Mascara 70
University of Mostaganem, Plant Protection Laboratory, Mostaganem 70

Austria

- Austrian Agency for Health and Food Safety, Vienna
Data, Statistics & Integrative Risk Assessment 157
Institute for Sustainable Plant Production 157

Czech Republic

- Agrotest fyto, Ltd, Kroměříž 53, 78, 129
Agritec Plant Research, Ltd., Department of Plant Protection, Šumperk, 8
Crop Research Institute, Prague-Ruzyně
Division of Crop Protection and Plant Health 36, 53, 151
Division of Crop Management System 165
Czech Academy of Agricultural Sciences, Prague 53
Czech University of Life Sciences Prague, Faculty of Agrobiology, Food
and Natural Resources, Prague 78, 111, 129
Ing. Hana Jakešová, CSc, Red Clover, Grass Breeding, Hladké Životice 113
Institute of Plant Molecular Biology, Biology Centre, Academy of Sciences of the Czech Republic,
České Budějovice 113, 174
Mendel University in Brno, Brno
Faculty of Horticulture, Department of Engineering, Lednice 36
Faculty of Agronomy, Department of Crop Science, Breeding and Plant Medicine 17
OSEVA Development and Research Ltd., Workplace Opava, Opava 8
Palacky University Olomouc, Faculty of Science, Department of Botany, Olomouc 53
Research and Breeding Institute of Pomology Holovousy Ltd., Holovousy 174

Egypt

- Alexandria University, Faculty of Agriculture (Elshatby), Alexandria 64

Italy

- University of Molise, Department of Agricultural, Environmental and Food Sciences, Campobasso 97

Iran

- Iranian Research Institute of Plant Protection, Department of Biological Control, Tehran 184
Mohaghegh Ardabili University, Agricultural Science Faculty, Ardabil 206
Rice Research Institute of Iran, Rasht 26
Shahid Chamran University, Faculty of Agriculture, Ahvaz 145
Shahed University, Faculty of Agricultural Sciences, Tehran 184
Shahid Bahonar University of Kerman, , Kerman
Faculty of Agriculture 43
Faculty of Sciences 43
Horticultural Research Institute 43
Shahid Beheshti University, Institute of Medicinal Plants, Tehran 206
University of Guilan, College of Agriculture, Guilan 190
University of Guilan, Faculty of Agricultural Science, Rasht 26, 135, 199
University of Maragheh, Faculty of Agriculture, Maragheh 145
University of Tehran, College of Agriculture and Natural Resources, Karaj 84, 190

Japan

Kagoshima University, Faculty of Agriculture, Kagoshima	64
Miki Cho Post Office, Ikenobe, Kagawa-Ken	90

Lithuania

Aleksandras Stulginskis University, Agronomy Faculty, Kaunas	220
Institute of Botany of Nature Research Centre, Laboratory of Phytopathogenic Microorganisms, Vilnius	220
Lithuanian Research Centre for Agriculture and Forestry, Institute of Forestry, Kaunas	220

Nigeria

Federal University of Technology, School of Agriculture and Agricultural Technology, Minna	1
--	---

Syria

University of Aleppo, Faculty of Agriculture, Aleppo	70
--	----

Sweden

Swedish University of Agricultural Sciences, Department of Forest Mycology and Pathology, Uppsala BioCenter, Uppsala	220
---	-----

Tunisia

University of Sousse, Laboratory of Entomology and Biological Control, Higher Agronomic Institute of Chott-Mériem, Chott-Mériem	90
--	----

Turkey

Biological Control Research Station, Adana	179
Bursa Technical University, Faculty of Forestry, Osmangazi-Bursa	216, 226
Çankırı Karatekin University, Faculty of Forestry, Çankırı	216, 226
Cukurova University, Faculty of Agriculture, Adana	179
Mayis University, Agriculture Faculty, Samsun	19
Namık Kemal University, Faculty of Agriculture, Tekirdag	179
Ordu University, Agriculture Faculty, Ordu	19
Süleyman Demirel University, Faculty of Forestry, Isparta	216, 226

SUBJECT INDEX

A

<i>Abutilon theophrasti</i>	157
Acidovorax	179
activity antibacterial	64
– antifeedant	207
– antifungal	19
– glutathione-S-transferase	199
aggregation pheromone	90
<i>A. gossypii</i> Glover	84
<i>Agrobacterium tumefaciens</i>	64
alien plant species	157
<i>Alternaria</i> spp.	78
alternative control	19
<i>Ambrosia maritima</i>	64
α -amylase	81
antifeedant toxicity	207
aphids	84
<i>Aphis fabae</i> Scopoli	84
application time	129
<i>Arion lusitanicus</i>	151
arthropods	165
artificial inoculation	113
ascospore release	8
attraction	90
AUDPC	1

B

bacterial infection	119
Baltic Sea	221
basal rot	19
<i>Bemisia tabaci</i>	145
biochemical activity	64
– characterisation	84
– effect	64
– parameter	133, 199
biological parameter	135, 184
black cumin	43
Black Sea region	227
<i>Blueberry red ringspot virus</i>	174
boxwood blight	227
BRRV	174
buprofezin	145
<i>Buxus sempervirens</i>	227

C

cabbage stem weevil	129
carbohydrase	190

carboxin	78
cellular energy allocation	199
cellulase	190
<i>Ceutorhynchus napi</i>	129
chemical composition	36
<i>Chilo suppressalis</i> Walker	26
citation databases	53
coastal dunes	221
Colorado potato beetle	207
control	90
<i>C. pallidactylus</i>	129
<i>Cucumis melo</i>	179
<i>Culex quinquefasciatus</i> Say	36
<i>Cylindrocladium pseudonaviculatum</i>	227
Czech stores	165

D

damage potential	165
DAS-ELISA	113
DBM	184
dead stem	221
<i>Dendryphion penicillatum</i>	78
detoxifying enzyme	135
diamondback moth	184
digestive	190
– system	190
<i>Diploceras hypericinum</i>	119
<i>Diplodia pinea</i>	217
diplodia shoot blight	217
disease	179
– severity	217
distribution	157
Double-attraction method	90
drought stress	43

E

editorial policy	53
editor	53
ELISA	179
elm leaf beetle	199
energy reserves	135
enzyme	190
epidemic	227
<i>Eretmocerus mundus</i> Mercet	145
<i>Erwinia carotovora</i>	64
essential oil	36
esterase activity	199
<i>Eugenia caryophyllus</i>	207

exogenous salicylic acid	43	<i>in vitro</i>	174
F		IPM	97
fecundity	135	iprodione	78
flight activity	129	J	
floral herbivory	151	journal scope	53
flower	151	K	
forecasting system	8	kriging	97
forest fire	221	L	
<i>Frankliniella occidentalis</i> (Pergande)	90	larvae	184
fruit blotch	179	larvicidal activity	36
functional response	145	LC ₃₀ concentrations	199
fungal diversity	221	LC ₅₀	184
– pathogen	119	– concentrations	199
fungi	221	leaf spot	17
<i>Fusarium</i> spp.	78	<i>Leptinotarsa decemlineata</i> Say	207
– <i>oxysporum</i>	70	<i>Leptosphaeria</i> spp.	8
– <i>f.sp. cepae</i>	19	lesser mulberry pyralid	135
<i>Fusarium</i> wilt race	70	lipid peroxidation	43
future prospects	53	LT ₅₀	184
G		M	
gel assay	84	mechanical inoculation	113
genetic resistance	1	<i>Mentha</i> L.	36
– similarity	217	midgut	190
– variation	26	monitoring	97
geostatistical tool	97	mortality	207
germination	151	mosquito	36
<i>Glyphodes pyloalis</i> Walker	135	mountain pine	221
H		mycobiota	221
HaNPV	184	<i>Myrtus communis</i>	207
<i>Helicoverpa armigera</i>	184	N	
highbush blueberry	174	native weed	151
history	53	<i>Nigella sativa</i>	43
hydroponic culture	43	nucleopolyhedrosis virus	184
<i>Hypericum perforatum</i>	119	nutritional indice	207
<i>Hypericum triquetrifolium</i>	119	O	
I		<i>Ocimum basilicum</i>	207
imidacloprid	145	oilseed rape stem weevil	129
infection risk	8	<i>Onion</i>	19
– risk	8	orchard and vineyard pests	97
inflorescence	151	ornamental plant	17
inhibitory effect	19	osmotic stress	43
inoculation	119	<i>Oxalis triangularis</i>	17
insecticide	145	oxidative stress	43
– efficacy	129	P	
insect pest	97	parasitoid	145
integrated management	97	PCR	174, 179
international scientific journal	53		
invasion history	157		
invasive alien species	227		
– slug	151		

pectin	190	scientific impact	53
pectinase	190	scientometric	53
<i>Penicillium</i> spp.	78	seed	151, 165
pepper crops	90	seed-borne diseases	78
pest control	165	– -infesting pest	165
– risk	165	– orchard	217
phenolic compound	43, 119	– stores	165
phoma stem canker	8	– treatment	78
physiological parameter	43	sex pheromone	90
– races	70	shoot tip culture	174
pine	217	sodium salt	19
<i>Pinus</i>	217	spatial analyse	97
– <i>mugo</i>	221	spinosad	135, 199
<i>Pisum sativum</i>	70	spore trap	8
plant cell wall	190	spread dynamics	157
– defence	119	starch	84
– essential oil	207	stem weevils	129
– extract	36	sublethal effect	135, 199, 145
– pathogenic bacteria	64	succession	221
– protection	53		
<i>Plutella xylostella</i> (L.)	184	T	
poppy	78	<i>Taraxacum officinale</i>	151
practical implication	97	tebuconazole	78
precision agriculture	97	terpenoid botanical insecticides	36
proPlant model	8	thiacloprid	129
pseudoguaianolide sesquiterpenes	64	thiram	78
<i>Pseudomonas putida</i>	119	<i>Thymus daenensis</i>	207
<i>Puccinia oxalidis</i>	17	trap	90
<i>Pulegium</i> sp.	36	<i>Trifolium pratense</i>	113
Purple Shamock	17		
R		V	
RAMS	217	<i>Vaccinium corymbosum</i> L.	174
RAPD markers	26	velvetleaf	157
– PCR	26	viability	151
<i>Red clover mottle virus</i>	113	virus elimination	174
red palm weevil	190	– -free	174
resistance	70	W	
<i>Rhynchophorus ferrugineus</i>	190	weather conditions	8
rice	1	<i>White clover mosaic virus</i>	113
– cultivate	26	winter oilseed rape	129
– striped stem borer	26		
<i>Rice yellow mottle virus</i>	1	X	
root rot	221	<i>Xanthogaleruca luteola</i> (Müller)	199
rust disease	17		
S		Y	
salts	19	yellow water traps	129
<i>Satureja khuzistanica</i>	207	yield reduction	1