

*DISEASE RESISTANCE IN PLANT PATHOLOGY*

*6<sup>th</sup> Conference  
of European Foundation for Plant Pathology*

*Prague, Czech Republic*

*8-14 September 2002*

***PROCEEDINGS***

**(Second Part)**

*Edited by: Vladimír Táborský, Jaroslav Polák, Aleš Lebeda and Václav Kůdela*

# 6<sup>th</sup> Conference of European Foundation for Plant Pathology

Prague, Czech Republic  
8–14 September 2002



*Organised by:*  
***Czech Society for Plant Pathology***



*On behalf of:*  
***European Foundation for Plant Pathology***

*The Proceedings were supported by Ministry of Agriculture of the Czech Republic*



Participants of the 6<sup>th</sup> Conference of European Foundation for Plant Pathology

## **FOREWORD**

*Ladies and Gentlemen,*

*First of all, I would like to convey to you the best wishes of the Czech Society for Plant Pathology which organised on behalf of the European Foundation for Plant Pathology the 6<sup>th</sup> International Conference "Disease Resistance in Plant Pathology" which was held from 9 to 14 September 2002 at the Czech University of Agriculture in Prague.*

*A short history of the European Foundation for Plant Pathology.*

*The European Foundation for Plant Pathology (EFPP) was established and registered as "Europese Stichting voor Planteziekten" at Wageningen, the Netherlands, in 1989.*

- 1. The 1<sup>st</sup> EFPP Conference was organized in 1990 at Wageningen, the Netherlands, under the presidency of Dr. van Halteren of Royal Netherlands Society for Plant Pathology. General topic was "Biotic Interactions and Soil Form Diseases".*
- 2. The 2<sup>nd</sup> EFPP Conference took place in 1992 at Strasburg, France, under the presidency of Societ  Francaise Phytopathologie. The general topic was "Mechanisms of Plant Defences".*
- 3. The 3<sup>rd</sup> EFPP Conference was held in 1994 at Poznan, Poland, under the presidency of Professor Malgorzata Manka, Department of Forest Pathology, University of Agriculture. The general topic was "Environmental Biotic Factors in Integrated Plant Disease Control". The 3<sup>rd</sup> Conference Proceedings, under the same title, with 111 contributors, were published by The Polish Phytopathological Society in 1995.*
- 4. The 4<sup>th</sup> EFPP international scientific meeting was called Symposium, and was held in 1996 in Bonn, Germany, under the presidency of Professor H.W. Dehne, Universit t Bonn. The general topic was Diagnosis and Identification of Plant Pathogens. The Proceedings, with 293 contributors, were published by Kluwer Academic Publishers.*
- 5. The 5<sup>th</sup> EFPP scientific meeting was called Congress, and was held in 2000 at Taormina-Giardini Naxos, Italy, under the presidency of Professor A. Matta, Universit  di Torino. It was organised by The Societa Italiana di Patologia Vegetale under chairman Professor A. Catara, Universita di Catania, Italy. The overall topic was "Biodiversity in Plant Pathology". The Proceedings, with 275 contributors, were published by Societ  Italiana di Patologia Vegetale in form of CD-ROM.*
- 6. The 6<sup>th</sup> Conference of EFPP was hosted 2002 in Prague, Czech Republic, under the presidency of Professor V. T borsk y, Czech University of Agriculture in Prague. It was organised by the Czech Society for Plant Pathology under chairman Professor J. Pol k, Research Institute of Crop Production, Prague. The topic was Disease Resistance in Plant Pathology. There were 315 registered participants, and the Proceedings will be published as a Supplement of the journal Plant Protection Science in two Volumes.*

*Nevertheless, plant pathology is an applied science concerned primarily with practical solutions to disease problems in crop production, horticulture, forestry and the environment. The study of plant diseases, and development of methods for their control, continue to be vital elements in the drive to improve crop productivity and quality of the product. The use of molecular genetic techniques has provided new insights into how pathogens cause disease, and how plants defend themselves against it. Recent research on the main topic of the conference, Disease Resistance in Plant Pathology, illustrates that defence mechanisms in plants are finely tuned and integrated systems in which different components act together in a coordinated and complementary fashion to contain infection.*

*The basic requirements to produce novel, disease-resistant crop cultivars are: sources of genetic resistance; tests to identify and select this resistance; and methods for combining the resistance with other, agronomically desirable characters to produce commercially acceptable crop genotypes.*

*Another aspect of these broad international conferences has to be mentioned. Over the years there has been a shift towards more fundamental research in plant pathology, either at the molecular or ecological level. Many researchers feel they benefit more from symposia and small conferences or congresses that are focussed on their special field of interest. This, together with tighter funds for international meetings, tends to lower the attendance of large congresses covering a very broad field. Some researchers even ask whether broad mass conferences or congresses still have a future. My answer to this scepticism will remain YES. Such conferences help individual scientists to become or stay aware that his/her own specialised research only functions well as part of the total framework of plant pathology which aims to render services to agriculture, the environment and society. Further, the opportunity to meet the leaders in research on the various group of plant pathogens, and the possibility for interaction with colleagues in other specialties may stimulate the search for new approaches in individual research projects.*

*As organizers of this 6<sup>th</sup> Conference of EFPP we are, of course, eager to know how the invited and offered oral presentations as well as posters sessions were received by the participants. Written and oral comments from them have reached us since, stating that the Conference was on a very high scientific level, particularly for the group of younger scientists that took part. I hope that for them the participation in this conference was both rewarding and enjoyable.*

*Any conference can only be successful if certain, necessary requirements are fulfilled. Foremost of these is the participation of scientists willing to share their results, discuss the present status and their vision of future developments in their particular field. My sincere thanks to those who took part in the Conference! Further, an active Organizing Committee and Scientific Committee are needed. For this my thanks go to Jaroslav Polák, chairman of the Organizing Committee and to Aleš Lebeda who met with most invited speakers at national conferences in (Germany, the Netherlands and the UK). I am also most grateful to all colleagues and members of the Czech Society for Plant Pathology who helped us actively, to the Department of Plant Protection of the Faculty of Agronomy, Czech University of Agriculture in Prague, and to the Research Institute of Crop Production at Prague-Ruzyne.*

*The success of such a meeting furthermore depends on sufficient finances. Here I want to express gratitude to the European Commission (Thematic Priorities INCO QOL-2001-5.1 Project PLI-CA1-2001-60045) and the Ministry of Agriculture of the Czech Republic (Conference Proceedings) for providing substantial assistance to the conference. The following companies also supported the conference financially and thus contributed to its success and, therefore, many thanks go to Bayer Agrosiences, BASF, Bioreba, Dynex, Loewe, Millipore, Maneko, Mosanto ČR, Opto Team, Trigon and to the Council of Czech Scientific Societies.*

*VLADIMÍR TÁBORSKÝ  
President EFPP (2000–2002) and  
President Czech Society for Plant Pathology*

## CONTENTS

### SESSION I – PLANT PATHOGEN AND DISEASES

#### DIAGNOSTICS AND DIVERSITY OF PLANT PATHOGENS

RYŠÁNEK P., ZOUHAR M., HASSAN M.: Detection of <i>Peach latent mosaic viroid</i> by PCR.....	249
KUNDU J.K.: Simplification of RNA preparation procedure for RT-PCR in detection of pome fruit tree viruses	252
KUDLÁČKOVÁ P., ZOUHAR M., RYŠÁNEK P.: Electronmicroscopic study of <i>Beet soilborne pomovirus</i> .....	255
GNUTOVA R.V., TOLKACH V.F., BOGUNOV JU.V.: Criteria for identification of <i>Cauliflower mosaic virus</i> 's of the far eastern strains.....	258
RYZHKOVA A., SHEVCHENKO T.P., BUDZANIVSKA I.G., POLISCHUK V.P.: Viruses of cucumber isolated from some regions of Ukraine.....	261
ČERNI S., ŠKORIĆ D., KRAJAČIĆ M.: Preliminary molecular characterization of some <i>Citrus tristeza Closterovirus</i> isolates infecting Croatian citrus .....	264
KOMÍNEK P.: Selection of RNA isolation method for molecular detection of grapevine viruses .....	267
BALLA I., KRISTON É., TÓTH E., ARTHOFER W., HANZER V., LAIMER M.: Detection of the phytosanitary status of stone fruit cultivars under <i>in vitro</i> conditions in Hungary .....	271
ROSECKÁ P., MORAVEC T., FILIGAROVÁ M., DĚDIČ P., ČEŘOVSKÁ N.: Genetic variability between different isolates of <i>Potato mop-top virus</i> (PMTV) .....	275
PTÁČEK J., DĚDIČ P., MATOUŠEK J.: Biological and molecular characterization of various isolates of <i>Potato virus Y-N</i> (PVY-N) strain group.....	278
RICHTER S.: Susceptibility of Austrian apricot and peach cultivars to ESFY .....	281
VÁLOVÁ P., FIALOVÁ R., NAVRÁTIL M., FRÁNOVÁ J., ŠIMKOVÁ M., NEBESÁŘOVÁ J.: Weed hosts of phytoplasmas in the Czech Republic .....	285
WALERON M., WALERON K., ŁOJKOWSKA E.: Genotypic characterisation of the <i>Erwinia</i> genus by PCR-RFLP analysis of <i>rpoS</i> gene.....	288
KOKOŠKOVÁ B., JEŘABKOVÁ R.: Immunochemical, biochemical and pathogenic properties of fluidal and intermediate strains of <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> .....	291
BRYXIOVÁ M., KŮDELA V.: Detection of bacterial wilt pathogen of lucerne by PCR .....	294
ABOU-ZEID N.M., HALILA H., KHALIL M.S.: Characterization by RAPD-PCR of races of <i>Fusarium oxysporum</i> f.sp. <i>ciceri</i> infecting chickpea .....	297
SHAUKAT A., FRANCL L.J.: Race structure of <i>Pyrenophora tritici-repentis</i> isolates obtained from wheat in South America.....	302
PIWONI A.: <i>Trichoderma polysporum</i> as possible weak pathogen of tulip bulbs and roots .....	305
SABO J., ĐURIĆ T., JASNIĆ S.: <i>Fusarium</i> fungi as a pathogen causing hop wilt .....	308
WEBER Z.: Some characteristics of <i>Gaeumannomyces graminis</i> var. <i>tritici</i> originated from	

Poznań region .....	311
ABOU-ZEID N.M., DORRIAH I.H., MARWA A.A.: Application of molecular methods for characterization of <i>Botrytis fabae</i> and <i>Botrytis cinerea</i> of faba bean .....	314
GAJDA I., KURZAWIŃSKA H., MURAS P.: Fungi settling seedlings of <i>Stewartia pseudocamelia</i> (Max.) .....	319
MOLISZEWSKA E.B., SCHNEIDER J.H.M.: Some pathogenic properties of <i>Rhizoctonia solani</i> to sugar beet seedlings .....	322
BUDZIKUR-RAMZA E., BARTYŃSKA M.: From researches on the healthiness of gladiolus ( <i>Gladiolus</i> sp. L.) corms in reproduction crops .....	325
KOWALIK M., GRÓDEK M.: Effect of fungicides on the growth of fungi isolated from <i>in vitro</i> propagated fruit-bearing plants .....	329
MAZUR S., NAWROCKI J., KUĆMIERZ J.: Fungal diseases of chickpea ( <i>Cicer arietinum</i> L.) cultivated in the south region of Poland.....	332
NAWROCKI J., MAZUR S., KUĆMIERZ J.: Influence of nitrogen fertilizing on occurrence of fungi infecting parsley seedling roots ( <i>Petroselinum sativum</i> Hoffm.) .....	336
ODSTRČILOVÁ L., ONDŘEJ M., KOCOURKOVÁ B., RŮŽIČKOVÁ G.: Monitoring of incidence and determination of fungi on caraway, fennel, coriander and anise, consideration of disease importance and possibility of chemical protection .....	340
SZCZEPONEK A., MAZUR S.: Investigation of fungi infesting the caraway seeds ( <i>Carum carvi</i> L.) in the south region of Poland .....	344
MACHOWICZ-STEFANIAK Z., ZALEWSKA E., ZIMOWSKA B.: Fungi colonizing various organs of lemon balm ( <i>Melissa officinalis</i> L.) cultivated in South-East Poland .....	347
TESAŘOVÁ B., ZOUHAR M., LUCINIO J., RYŠÁNEK P.: Detection of root knot nematode <i>Meloidogyne incognita</i> by PCR.....	351
UREK G., ŠIRCA S., MEGLIČ V.: Morphological characteristics and distribution of <i>Globodera</i> species in Slovenia .....	354
ZOUHAR M., MAREK M., LUCINIO J., RYŠÁNEK P.: Using point mutations in rDNA for differentiation of bioraces of <i>Ditylenchus dipsaci</i> from the Czech Republic .....	358
PATKOWSKA E., PIĘTA D., PASTUCHA A.: Communities of bacteria and fungi occurring in the rhizosphere of winter wheat .....	361
GEOGRAPHIC DISTRIBUTION AND EPIDEMIOLOGY	
SLOVÁKOVÁ Ľ., DÁVIDOVÁ I.: Annual herbs – possible reservoirs of sharka disease? .....	364
ŠUBÍKOVÁ V., KOLLEROVÁ E., SLOVÁKOVÁ Ľ.: Occurrence of nepoviruses in small fruits and fruit trees in Slovakia.....	367
MEHNER S., MANURUNG B., SCHMIDT D., GRÜNTZIG M., WITSACK W., FUCHS E.: Population dynamics of the leafhopper <i>Psammotettix alienus</i> Dahlb. and two-year investigations into the occurrence of <i>Wheat dwarf virus</i> (WDV) in crops of winter barley located in the Middle German Dry Region, Germany .....	370
KOROTEYEVA A.V., POLISCHUK V.P.: Orchid viruses of natural Ukrainian flora .....	375

ANSARI K.I., PALACIOS N., ARAYA C., LANGIN T., EGAN D., DOOHAN F.M.: Genetic variation between <i>Colletotrichum lindemuthianum</i> isolates .....	378
BANKINA B.: Tan spot development peculiarities in Latvia.....	381
BRAZAUSKIENE I., PETRAITIENE E.: Dark leaf and pod spot ( <i>Alternaria brassicae</i> ) on oilseeds ( <i>Brassica napus</i> ) in Lithuania .....	384
JANUŠAUSKAITĖ D.: Epidemiology of Septoria leaf blotch on spring triticale in West Lithuania .....	388
KHRAMTSOV A.K., SHUKANOV A.S., POLYKSENOVA V.D.: Morphotypes of <i>Botrytis cinerea</i> Pers.: Fr. in the conditions of Belarus.....	391
SHIDLAIUSKIENĖ A., SURVILIENĖ E.: Distribution and pathogenic peculiarities of fungi of the <i>Alternaria</i> genus on vegetable crops in Lithuania .....	395
VALIUSHKAITE A.: Investigation of biological peculiarities of <i>Blumeriella jaapii</i> .....	399
VOŽENÍLKOVÁ B., KLIMEŠ F.: Evaluation of fusarioses in selected grass species.....	402
HIETALA A.M., EIKENES M., KVAALEN M., SOLHEIM H., FOSSDAL C.G.: Comparison of multiplex real-time PCR and ergosterol assays in quantifying <i>Heterobasidion annosum</i> in planta .....	406
MANNINGER K.: Occurrence and virulence of wheat yellow rust in Hungary during 1999–2001 .....	408
MARKOVÁ J.: Biodiversity of rust fungi in the Šumava (Bohemian Forest) and in the Krkonoše (Giant Mountains), Czech Republic .....	411
KŘÍSTKOVÁ E., LEBEDA A., SEDLÁKOVÁ B., DUCHOSLAV M.: Distribution of cucurbit powdery mildew species in the Czech Republic .....	415
VIDA G., SZUNICS L., GÁL M., VEISZ O., BEDŐ Z.: Comparison of two wheat powdery mildew differential sets in seedling tests .....	417

## SESSION II – HOST-PATHOGEN INTERACTION

### ENTRY AND COLONIZATION OF THE HOST

FRAAIJE B.A., LOVELL D.J., BALDWIN S.: Septoria epidemics on wheat: combined use of visual assessment and PCR-based diagnostics to identify mechanisms of disease escape .....	421
RAKHIMOVA E.: Development and ultrastructure observations of secondary hyphae of <i>Podosphaera leucotricha</i> on apple cultivars of varying susceptibility to powdery mildew .....	425
ARROYO F.T., MORENO F.J., DAZA P., TORREBLANCA J., GARCÍA-HERDUGO G., DE LOS SANTOS B., BARRAU C., BLANCO C., PORRAS M., ROMERO F.: Development of <i>Colletotrichum acutatum</i> in the foliar tissue of strawberry plants .....	429
SANIEWSKA A.: The role of gum induced by <i>Fusarium oxysporum</i> Schlecht. Snyd. et Hans. f.sp. <i>tulipae</i> Apt. in tulip bulbs on growth and development of the pathogen .....	432
SUCHARZEWSKA E., DYNOWSKA M.: Preliminary evaluation of the effect of <i>Ampelomyces quisqualis</i> on the degree of plant infestation with selected <i>Erysiphales</i> species proposed as potential bioindicators .....	436
CWALINA-AMBROZIAK B.: Effect of cropping system on a fungal community colonizing seeds	

of fodder galega (*Galega orientalis* Lam.) ..... 439

WACHOWSKA U., MAJCHRZAK B.: Microorganisms colonising the rhizosphere of winter wheat protected with Impact Super 347 SC fungicide and Bion 50 WG plant resistance stimulator ..... 442

KOEHL J., ELSTNER E.F., OSSWALD W., HEISER I.: Oxidative burst and cell death induced by  $\beta$ -quercinin and zoospores of *Phytophthora quercina* in tobacco cell cultures..... 446

#### PHYSIOLOGY OF PLANT DISEASE

ULINETS V.Z., POLISCHUK V.P.: Changes in photosynthetic apparatus of tobacco leaves in conditions of virus infection and shortage of nitrogen..... 449

BUDZANIVSKA I.G., DEMYANENKO F.: Inhibition of *Solanaceae* plants by combined effect of increased concentrations of heavy metals and viral infection ..... 452

SHEVCHENKO A.V., BUDZANIVSKA I.G., SHEVCHENKO T.P., POLISCHUK V.P.: Stress caused by plant virus infection in presence of heavy metals ..... 455

HÜCKELHOVEN R., TRUJILLO M., DECHERT C., SCHULTHEISS H., KOGEL K.-H.: Functional studies on the role of reactive oxygen intermediates in the resistance of barley against powdery mildew ..... 458

PENNISI A.M., ABENAVOLI M.R., MAIMONE B., DI DIO L.: In planta and *in vitro* interactions between *Phomopsis (Diaporthe)* isolates and sunflower ..... 461

PROKINOVÁ E., PATOČKOVÁ K.: Side effect of iodosulfuron-methyl/Na + mefenpyr-diethyl and isoproturon on micromycetes on winter wheat ..... 466

HLINKOVÁ E., BOBÁK M., ILLÉŠ P.: Chitinases and endoglucanases synthesized in the infected barley leaves in the powdery mildew period sporulation ..... 469

#### MOLECULAR BIOLOGY OF PLANT DISEASE

COOPER A.J., WOODS-TÖR A., HOLUB E.B.: *Albugo candida* (white rust) suppresses resistance to downy mildew pathogens in *Arabidopsis thaliana* ..... 474

SCHULTHEISS H., DECHERT C., KOGEL K.-H., HÜCKELHOVEN R.: Knock-down of the small G-protein RACB enhances penetration-resistance of barley against the powdery mildew fungus ..... 477

D'OIDIO R., ROBERTI S., MELARAGNI M., CAPODICASA C., SELLA L.S., FAVARON F.: Characterization of two closely linked soybean PGIP genes and transcript regulation following pathogen infection and wounding ..... 480

SCHULLER A., LUDWIG-MÜLLER J.: Isolation of differentially expressed genes involved in clubroot disease..... 483

### SESSION III – RESISTANCE

#### INDUCED RESISTANCE

GELDERMANN U., LANGEN G., KOGEL K.-H.: Promoter studies of chemically induced *BCI*-genes in the pathosystem barley – powdery mildew ..... 487

DEMARIA D., VALENTINO D., MATTÀ A., CARDINALE F.: Cross-protection mechanisms between biotic and abiotic stresses in plants ..... 490



WOJDYLA T.: Chitosan in the control of rose powdery mildew and downy mildew .....	494
SOLNTSEV M.K., KARAVAEV V.A., YURINA T.P., YURINA E.V., KUZNETSOV A.M., POLYAKOVA I.B., FRANTSEV V.V.: Stimulant effect of plant activator BION on photosynthesis and its inhibitory effect on pathogenic fungi .....	497

#### PLANT DEFENCE RESPONSES

GAMMELGÅRD E., MOHAN M.L., ANDERSSON R.A., VALKONEN J.P.T.: Host gene expression at an early stage of virus resistance induction .....	502
MEHLI L.: Temporal expression of a <i>PGIP</i> -gene in strawberry cultivars induced by wounding or by <i>Botrytis cinerea</i> infection .....	504
SEDLÁŘOVÁ M., LEBEDA A., BINAROVÁ P., LUHOVÁ L.: Role of plant cell in host-pathogen interactions: <i>Lactuca</i> <i>spp.-Bremia lactucae</i> .....	507
TÖR M., GORDON P., CUZICK A., YEMM A., HOLUB E.B.: Several downy mildew resistance genes in <i>Arabidopsis</i> require signaling via a homologue of yeast <i>SGTI</i> .....	510
MINOIU N., OPREAN I., PLATON I., STEGEREAN P.: Increase of plum resistance to natural infections with <i>Plum pox virus</i> .....	513
KAŠPAROVSKÝ T., MILAT M.-L., BLEIN J.-P., HAVEL L., MIKEŠ V.: Ergosterol induces mobilization of internal calcium in tobacco cells .....	516
ARBEITER A., FÄHLING M., GRAF H., SACRISTÁN M.D., SIEMENS J.: Resistance of <i>Arabidopsis</i> <i>thaliana</i> to the obligate biotrophic parasite <i>Plasmodiophora brassicae</i> .....	519

#### HOST-PATHOGEN SPECIFICITY

AGEICHIK A.V., EVTUSHENKOV A.N., NIKOLAICHIK Y.A.: The role of type III secretion system in <i>Erwinia carotovora</i> subsp. <i>atroseptica</i> virulence .....	523
MAES M., BAEYEN S., DE CROO H., DE SMET K., STEENACKERS M.: Monitoring of endophytic <i>Brenneria salicis</i> in willow and its relation to watermark disease .....	528
DREISEITL A.: Virulence complexity and its increasing in the Czech population of <i>Blumeria graminis</i> f.sp. <i>hordei</i> .....	531
KAČERGIUS A., RADAITIENĖ D.: Greenhouse test for the resistance to root and stem rot of <i>Hypericum perforatum</i> L. accessions .....	533
LEUS L., KEGELAERS G., VAN BOCKSTAELE E., HÖFTE M.: Occurrence of pathotypes of <i>Diplocarpon rosae</i> on roses in Belgium .....	536
SKRZYPCZAK C.: Statice downy mildew and plant susceptibility to <i>Peronospora statices</i> .....	539

#### BREEDING FOR RESISTANCE

POKORNÝ R., PORUBOVÁ M.: Maize resistance to <i>Sugarcane mosaic virus</i> .....	542
BALASHOVA-LAKHMATOVA I.T., BALASHOVA N.N., PIVOVAROV V.F.: Ways of increasing resistance to viruses into the single plant and in populations .....	545

KORBA J., PATÁKOVÁ K., KÚDELA V.: Effect of rootstock clones on fire blight susceptibility in scion apple cultivars.....	552
TSIANTOS J., PSALLIDAS P., MARTINS J.M.S.: Assessment of genetic resistance to crown gall in roots of apricot hybrid descents .....	555
CZEMBOR J.H., CZEMBOR H.J., MACKEY M.: Genetic diversity of barley landraces from Near East, North Africa and Southern Europe in relation to resistance to powdery mildew .....	558
HÝSEK J., KREUZMAN J., BROŽOVÁ J.: Reaction of pea selections to <i>Fusarium oxysporum</i> f.sp. <i>pisii</i> (races 1, 2, 5, 6) and <i>Fusarium solani</i> .....	561
ANDRUSZEWSKA A., LANGNER K., BYCZYŃSKA M.: New Polish cultivars of flax resistant to <i>Fusarium</i> wilt.....	565
PASTIRČÁK M., LEMMENS M., ŠROBÁROVÁ A.: Reaction of maize hybrids to ear rot caused by <i>Fusarium graminearum</i> Schwabe.....	569
PLACHKÁ E., ODSTRČILOVÁ L.: Sensitivity of winter rapeseed ( <i>Brassica napus</i> L.) to isolates of the fungus <i>Leptosphaeria maculans</i> (Desm.) Ces. et de Not.....	572
ŠÁROVÁ J., ŠÍP V., HANZALOVÁ A.: Response of winter wheat cultivars to artificial infection with <i>Pyrenophora tritici-repentis</i> in field and greenhouse conditions .....	575
STEED A., CHANDLER E., THOMSETT M., CARTER J., FAURE S., NICHOLSON P.: Characterisation of fusarium head blight resistance located on chromosome 4A of <i>Triticum macha</i> .....	580
VAVERKA M., VAVERKA S.: Evaluation of gooseberry cultivars resistance to the American gooseberry powdery mildew <i>Sphaerotheca mors uvae</i> Schwein and its chemical control.....	583
BARANOVA O.A., DMITRIEV A.P., VOYLOCOV A.V., SOLODUKHINA O.V.: Mapping of resistance genes to brown rust in 1R chromosome of rye ( <i>Secale cereale</i> L.).....	588
DUVNJAK T., VRATARIC M., SUDARIC A., COSIC J.: Occurrence and intensity of more important fungal diseases on soybean ( <i>Glycine max</i> (L.) Merrill) cultivars .....	590
GÁL M., SZUNICS L., VIDA G., SZUNICS LU., VEISZ O., BEDŐ Z.: Efficiency of leaf rust resistance genes in Martonvásár .....	593
ŠIKŠNIANAS T.: Genetic control and combining ability of resistance to American mildew, Septoria leaf spot and gall mite in black currant .....	596
GELVONAUSKIS B., GELVONAUSKIENĖ D.: Using scab resistant donors in apple breeding .....	600
PĂCUREANU JOIȚA M., PROCOPOVICI E., RARANCIUC S.: Sunflower breeding for resistance to the new races of broomrape ( <i>Orobanche cumana</i> Wallr.) in Romania .....	604

#### GENETIC AND TRANSGENIC IMPROVEMENT

COMES S., FANIGLIULO A., PIAZZOLLA P., CRESCENZI A.: <i>Nicotiana benthamiana</i> plants transgenic for PPV-SWC coat protein are resistant to PPV infection .....	608
MIRONENKO N., FILATOVA O., AFANASENKO O.: Genetic control of <i>Pyrenophora teres</i> virulence to three barley accessions.....	612
CHINI A., MURRAY S., GRANT J., THOMSON C., LOAKE G.: Characterisation of a <i>PR-1</i> :: <i>Luciferase</i> transgenic line deployed to uncover novel defence-related <i>Arabidopsis</i> mutants by luciferase imaging.....	615

## SESSION IV – DISEASE MANAGEMENT

### BIOLOGICAL CONTROL OF PLANT DISEASES

ŠROBÁROVÁ A., KOGAN G., TAMAS L., MACHOVÁ E.: Protective activity of the fungal polysaccharides against fusariosis.....	617
PORRAS M., BARRAU C., SANTOS B., ARROYO F.T., BLANCO C., ROMERO F.: Effects of temperature on <i>in vitro</i> response of <i>Trichoderma</i> strains against strawberry pathogen <i>Rhizoctonia solani</i> Kühn. ....	620
STOMPOR-CHRZAN E.: Effect of aqueous extracts of aspen, black currant, folded blackberry and walnut leaves on development of pathogenic fungi .....	623
STRANO L., CAMPISANO A., COCO V., GRIMALDI V., CATARA A.: Effectiveness of CaCl <sub>2</sub> and Tween 80 in enhancing yeast biocontrol activity against <i>Penicillium digitatum</i> on tarocco orange .....	626
COHEN Y., BAIDER A., BEN-DANIEL B., BEN-DANIEL Y.: Fungicidal preparations from <i>Inula viscosa</i> .....	629
KURZAWIŃSKA H., GAJDA I.: Fungi isolated from soil with quicksets of <i>Chamaecyparis lawsoniana</i> and their influence on the growth of <i>Phytophthora cinnamomi</i> and <i>Rhizoctonia solani</i> .....	631
NICOLETTI R., RAIMO F., COZZOLINO E.: <i>In vitro</i> evaluation of fungal antagonists of <i>Phytophthora nicotianae</i>	634
COCO V., GRIMALDI V., CAMPISANO A., STRANO L., CATARA A.: Assessment of orange fruit colonization by biocontrol yeasts .....	638
KAUP G., JANOWICZ K., PARUCH K.: Effect of the product of radiational removal of SO <sub>2</sub> and NO <sub>x</sub> from combustion gases on the population of <i>Globodera rostochiensis</i> nematodes (Woll., Behrens 1975).....	642
EL-KAZZAZ M.K., BADR M.M., EL-ZAHABY H.M., GOUDA M.I.: Biological control of seedling damping-off and root rot of sugar beet plants.....	645

### INTEGRATED APPROACH TO DISEASE MANAGEMENT

DĚDIČ P., PTÁČEK J., HORÁČKOVÁ V., MATOUŠEK V., ČEŘOVSKÁ N., FILIGAROVÁ M.: <i>Potato virus S</i> (PVS): puzzling virus for potato breeders and seed producers .....	648
GAURILČIKIENĖ I.: Incidence and severity of Septoria leaf blotch in winter wheat in relation to reduced dosage of fungicides.....	652
HIEMSTRA J.A. (co-ordinator): Verticillium wilt in tree species; elements for integrated and innovative management strategies (EU-Project QLRT-CT99-1523).....	656
MESZKA B., BIELENIN A.: Decrease of <i>Venturia inaequalis</i> (Cook) Aderh. sensitivity to dodine and sterol demethylation inhibitor fungicides .....	659
ŁUKANOWSKI A., BATURO A., SADOWSKI Cz.: Healthiness of winter wheat and spring barley farmed under different systems .....	662
SEMAŠKIENĖ R., TAMOŠIŪNAS K., DABKEVIČIUS Z.: Control of powdery mildew, <i>Blumeria graminis</i> (DC), in spring and winter wheat with decision support system based on assessments and weather data .....	667
TOPOLOVEC-PINTARIĆ S., CVJETKOVIĆ B., MILIČEVIĆ T.: The sensitivity of <i>Botrytis cinerea</i> Pers.:	

Fr. to new botryticides in the protection of vineyards .....	670
STEJSKAL V., HUBERT J., KUBÁTOVÁ A.: Associated-food-hazards: storage fungi and mites in poppy, mustard, lettuce and wheat .....	673
DABKEVIČIUS Z., SEMAŠKIENĖ R.: Control of ergot ( <i>Claviceps purpurea</i> (Fr.) Tul.) ascocarpus formation under the impact of chemical, biological seed dressing .....	681
DOLEŽAL P., HAUSVATER E., TÁBORSKÝ V.: Practical experience with antiresistance strategies in the fungicides control of potato late blight.....	684
MILIČEVIĆ T., CVJETKOVIĆ B., TOPOLOVEC-PINTARIĆ S.: Dynamics of most important fungal diseases of strawberries in Croatia and suggestions for integrated control.....	689
PISAREK I., MOLISZEWSKA E.B.: Effects of sewage sludge on the parameters of the crop production and influence on some phytopathogenic soil fungi.....	692
CABRERA J., LÓPEZ-BELLIDO F.J., RECIO D., ALÍA J.M., SERRANO M., VERDEJO C.: Incidence of temperature-related abiotic diseases in Spanish garlic bulbs.....	696
RAUDONIS L.: Integrated control strategy of apple scab according to warning equipment.....	700
ŠILHA J., HAMOUZ P., TÁBORSKÝ V., ŠTÍPEK K., ŠNOBL J., VOŘÍŠEK K., RŮŽEK L., BRODSKÝ L., ŠVEC K.: Case studies for precision agriculture.....	704
<b>WORKSHOP “DURABLE RESISTANCE TO <i>Meloidogyne</i>”</b>	
ZOON F.C., GOLINOWSKI W., JANSSEN R., MUGNIÉRY D., PHILLIPS M.S., SCHLATHOELTER M., SMANT G., VAN KRUIJSSEN L., VAN DER BEEK J.G.: Durable resistance against <i>Meloidogyne</i> <i>chitwoodi</i> and <i>M. fallax</i> .....	711
BLOK V.C., WISHART J., MUGNIÉRY D., BOSSIS M., CASTAGNONE-SERENO P., NEVEU C., SMANT G., ZIJLSTRA C., ZOON F.C., PHILLIPS M.S.: Molecular and genetic studies of the basis of virulence/avirulence in <i>Meloidogyne chitwoodi</i> .....	714
LASHERMES P.: Breeding tools for durable resistance to nematodes ( <i>Meloidogyne</i> spp.) of coffee varieties.....	717
WISHART J., PHILLIPS M.S., PATERSON A., BLOK V.C.: Comparison of gene expression in <i>Solanum bulbocastanum</i> infected with virulent and avirulent isolates of <i>Meloidogyne chitwoodi</i> .....	721

**Recommended form of citation:**

SCHULTHEISS H., DECHERT C., KOGEL K.-H., HÜCKELHOVEN R.: Knock-down of the small G-protein RACB enhances penetration-resistance of barley against the powdery mildew fungus. Proc. 6<sup>th</sup> Conf. EFPP 2002, Prague. Plant Protect. Sci., **38** (Special Issue 2): 477–479.