

Modeling and forecasting volatility in the global food commodity prices

Modelování a prognózování volatility globálních cen potravinářských komodit

IBRAHIM A. ONOUR¹, BRUNO S. SERGI²

¹*Arab Planning Institute, Kuwait, Kuwait*

²*Faculty of Political Science, University of Messina, Messina, Italy*

Abstract: To capture the volatility in the global food commodity prices, we employed two competing models, the thin tailed the normal distribution, and the fat-tailed Student t -distribution models. Results based on wheat, rice, sugar, beef, coffee, and groundnut prices, during the sample period from October 1984 to September 2009, show the t -distribution model outperforms the normal distribution model, suggesting that the normality assumption of residuals which are often taken for granted for its simplicity may lead to unreliable results of the conditional volatility estimates. The paper also shows that the volatility of food commodity prices characterized with the intermediate and short memory behavior, implying that the volatility of food commodity prices is mean reverting.

Key words: volatility, forecast, fat-tail distribution, food commodities

Abstrakt: Pro zkoumání volatility globálních cen potravinářských komodit bylo použito dvou vzájemně si konkurujících modelů, tzv. „thin-tail“ normální distribuce a „fat-tail“ Student- t distribuce. Výsledky založené na zkoumání cen pšenice, rýže, cukru, hovězího masa, kávy a podzemnice olejné s využitím dat za období říjen 1984–září 2009 ukazují, že model t -distribuce docílí lepších výsledků než model normální distribuce, což naznačuje, že předpoklad normálního rozložení reziduí, jenž je často považován za samozřejmý pro svou jednoduchost, může vést k nespolehlivým výsledkům podmíněných odhadů volatility. Práce rovněž ukazuje, že volatilita cen potravinářských komodit je charakterizována chováním střednědobé a krátkodobé paměti a osciluje tedy kolem průměru.

Klíčová slova: volatilita, prognóza, fat-tail distribuce, potravinářské komodity

The sharp changes in the global food commodity prices in the recent years have raised concerns to the governments in developing countries as the low income groups became more vulnerable to higher inflation rates. Increasing volatility in the agriculture commodity prices creates uncertainties to farmers to meet the rising demand for agricultural food commodities, and to consumers to manage their future spending plans.

Analysts attribute the rising volatility in the food commodity prices to a number of factors, among them the speculations in future commodity markets (FAO 2008); crude oil price changes and its ramification on the bio-fuel commodity markets (Institute for Agriculture and Trade Policy 2008); Jeffrey Frankel (2008) attributes the soaring prices in food commodities to structural change in the global demand for food

items, mainly due to the high and rapid economic growth in the countries like China and India. Whatever would be the prime cause behind the soaring food commodity prices, it is important to point out that the volatility modeling can help capturing the empirical regularities that characterize the commodity markets. While the literature on the volatility of food commodity markets in general is scarce, compared to the literature on the financial asset markets, a number of authors investigated the volatility in food commodity markets from the perspective of the spillover effect of the crude oil price (Babula and Somwaru 1992; Uri 1996; Du et al. 2009). Broadly speaking, the literature on the volatility forecast in commodity markets includes two main approaches, the implied volatility models which are based on the option pricing formulas, and the conditional volatility models of the time series

analysis. An option is a contract that allows the holder, without requiring, to sell (put option) or buy (call option) underlying commodity at a pre-specified price (strike or exercise price). The more volatile the price of the underlying commodity, the higher the option's price. Given that the option market is efficient, the option price reflects the future expected volatility. More specifically, option prices are functions of four observable variables (i.e., the price of the underlying asset, the exercise price, the time to the maturity of the option, and the risk-free rate of interest), and one non-observable variable which is the expected volatility of the underlying commodity price. Since the option price is observable, and it is a monotonically increasing function of the expected volatility, then via the option pricing formula it is possible to derive the expected volatility for the remaining period of the option maturity. Such expected volatility which is based on the option pricing formula is usually known as the implied volatility.

However, it should be noted that the implied volatility approach of the expected volatility has a number of drawbacks. Among them, the standard option pricing formula included in Black and Scholes (1973) applies only to the European type option, but it has no closed-form solution for the more popular American and exotic options¹. In addition, as noted by Kroner et al. (1993), the volatility forecast based on the implied volatility approach may be more appropriate for the short-term forecast, but it may not yield a reliable long-term forecast since usually trading is thin in the options that are far away from their maturity dates.

As a result, in this paper we employed the time series modeling approach in forecasting the conditional volatility in the food commodity market. The conditional volatility models include the ARCH/GARCH models developed by Engle (1982); and the stochastic volatility (SV) models, proposed by Taylor (1994). While the conditional volatility models of the ARCH/GARCH-type define volatility as a deterministic function of the past innovations, the SV models treat volatility as a stochastic process. The ARCH/GARCH-type models are relatively easy to estimate compared to the SV models which are directly connected to the diffusion process, and thus involve the volatility process that does not depend on the observable variables, and are therefore relatively more difficult to estimate (Shephard 2005).

A question which needs to be addressed is, why do we need to investigate volatility in the food commodity markets? In the light of the option pricing formula of Black and Scholes discussed above, robust estimates of

volatility of food prices enhance a better option pricing mechanism in future commodity markets. Moreover, volatility estimates allow the investigation of empirical regularities that characterize the food commodity markets. Among the empirical regularities that characterize asset prices, there are the fat-tailedness and volatility persistence. It is well documented (Bollerslev et al., 2003) that the fat-tailedness in asset markets is intimately related to the so-called volatility clustering, which describes the phenomena that large changes in asset prices, in either sign, tend to be followed by large changes, and small changes are followed by small changes, reflecting market irregularities. Thus, volatility modeling can reveal the market imperfection in the global food commodity markets.

Bollerslev et al. (2003) indicated that the normality assumption is at odds when price changes exhibit the fat-tailedness (leptokurtosis behavior). It has been evidenced recently by a number of authors (Brooks and Persaud (2003), Vilasuso (2002), and Hansen and Launda (2003), the standard GARCH models which use the normality assumption has an inferior forecasting performance compared to the models that reflect skewness and kurtosis in innovations.

The paper is divided into four sections. Section two includes the methodology of the research. Section three deals with the estimation procedure and discussion of the results. In the final section, we conclude the research findings.

METHODOLOGY

Given that p_t is the commodity price at time t , and I_{t-1} is the information set at time $t - 1$, then the standard GARCH(1,1) model specified on normal distributed and Student t -distributed error terms is defined as:

$$\ln\left(\frac{p_t}{p_{t-1}}\right) \equiv y_t = \mu + \varepsilon_t \quad (1)$$

$$f(\varepsilon_t \mid I_{t-1}) \sim N(0, \sigma_t^2)$$

or

$$f(\varepsilon_t \mid \eta, I_{t-1}) \sim st(\eta; 0, \sigma_t^2) \quad (2)$$

where η is degrees of freedom, and

$$\sigma_t^2 = w + \alpha\varepsilon_{t-1}^2 + \beta\sigma_{t-1}^2 \quad (3)$$

Given an initial value for σ_t^2 (the conditional volatility), the estimated values for w , α and β , in equation (3) can be used for estimating expected volatility at

¹Barone-Adesi and Whaley (1987) propose an approximation method for pricing American options.

any given horizon time. Using equation (3), the expected volatility can be set (see Engle and Bollerslev 1986, equation 22) as:

$$E(\sigma_{t+k}^2 \setminus I_t) = \begin{cases} w + \alpha \varepsilon_t + \beta \sigma_t^2 & \text{if } k = 1 \\ w + (\alpha + \beta)E(h_{t+k-1} \setminus I_t) & \text{if } k \geq 2 \end{cases} \quad (4)$$

Alternatively, using the recursive substitution of equation (3) we get

$$E(\sigma_{t+k}^2 \setminus I_t) = \begin{cases} w + \alpha \varepsilon_t + \beta \sigma_t^2 & \text{if } k = 1 \\ w[1 + (\alpha + \beta) + \dots + (\alpha + \beta)^{k-2}] + (\alpha + \beta)^{k-1} \\ + (\alpha + \beta)^{k-1}(w + \alpha \varepsilon_t + \beta \sigma_t^2) & \end{cases} \quad (5)$$

Equations (4) and (5) yield the forecast of conditional volatility at the horizons 1, 2, ..., k . Bollerslev et al. (2003), discusses the usefulness of the GARCH models in the short-run volatility forecast.

It is well documented that the standard GARCH specification as stated in equation (1) fail to fully account for the leptokurtosis of the high frequency time series when they are assumed to follow the normal distribution. Bollerslev et al. (2003) indicate the ARCH models with conditional normal errors; the result in a leptokurtic unconditional distribution. However, the degree of the leptokurtosis induced by the time-varying conditional variance often does not capture all of the leptokurtosis present in the high frequency speculative price data. To circumvent this problem, Bollerslev et al. (2003) suggest the use of the Student t -distribution with the degrees of freedom greater than two.

When the residual errors in (3) distributed Student t -distribution the density function in equation (3) can be specified as:

$$f(\varepsilon \setminus \eta) = \frac{\Gamma(\eta+1)/2}{\sqrt{\eta\pi}\Gamma(\eta/2)} \left(\frac{\eta}{\eta + \varepsilon^2} \right)^{(\eta+1)/2} \quad (6)$$

for $-\infty < \varepsilon < \infty$

where $\Gamma(\cdot)$, denotes the gamma function, and η is the degrees of freedom. Now, we have two competing models, (equations 1 and 6), for the expected conditional volatility specification in equation (5).

Given there is no common single conventional model selection criteria, to assess the goodness-of-fit for the two models, we employed the predictive power performance criteria, and four other criterias including the log-likelihood function and the Akaike information criteria (AIC), the Schwarz criteria (SC), and the Hannan-Quinn (HQ), as indicated below:

$$AIC = -2(l/T) + 2(k/T)$$

²For the FIGARCH(p, d, q) model to be well defined, and the conditional variance positive for all t , all the coefficients in the ARCH representation must be non-negative.

$$SC = -2(l/T) + k \log(T)/T$$

$$HQ = -2(l/T) + 2k \log(\log(T))/T$$

where k and (T) are respectively the number of parameters and the sample size, and l is the lag length. The model that minimizes the above information criteria is considered the best fit, given that the model also yield the highest log likelihood value.

VOLATILITY PERSISTENCE

The ARFIMA(p, d, q) process

$$\phi(L)(1-L)^d (y_t - \mu) = \theta(L)\varepsilon_t \quad (7)$$

where

$$\phi(L) = \sum_{j=1}^p \phi_j L^j, \quad \theta(L) = \sum_{j=1}^q \theta_j L^j$$

$$(1-L)^d = \sum_{j=0}^{\infty} \binom{d}{j} (-1)^j L^j = 1 - dL + \frac{d(d-1)L^2}{2} - \dots$$

and L is the lag operator, d is the fractional differencing parameter, all roots of $\phi(L)$ and $\theta(L)$ assumed to lie outside the unit circle, and ε_t is the white noise.

GARCH(p, q) models are often used for modeling the volatility persistence, which has the features of the relatively fast decaying persistence. However, in some cases the volatility shows a very long temporal dependence, i.e., the autocorrelation function decays very slowly. This motivates considering the Fractionally Integrated Generalized Autoregressive Conditional Heteroskedasticity (FIGARCH) process (Baillie 1996) defined as²:

$$\phi(L)(1-L)^d \varepsilon_t^2 = w + \{1 - \beta(L)\}v_t \quad (8)$$

where $\phi(L)$ and $\beta(L)$ are respectively the AR(p) and MA(q) vector coefficients and $v_t = \varepsilon_t^2 - \sigma_t^2$.

Following Baillie et al. (1996), Bollerslev and Mikkelsen (1996), Granger and Ding (1996), the parameters in the ARFIMA(p, d, q) and FIGARCH(p, d, q) models in (7) and (8) estimated using the quasi-maximum likelihood (QMLE) method. In the ARFIMA models, the short-run behavior of the data series is represented by the conventional ARMA parameters, while the long-run dependence can be captured by the fractional differencing parameter, d . A similar result also applies when modeling the conditional variance, as in equation (8). While for the covariance stationary GARCH(p, q) model, a shock to the forecast of the

future conditional variance dies out at an exponential rate, for the FIGARCH(p,d,q) model, the effect of a shock to the future conditional variance decay at low hyperbolic rate. As a result, the fractional differencing parameter, d , in the equations (7) and (8) can be regarded the decay rate of a shock to the conditional variance (Bollerslev and Mikkelsen 1996).

In general, allowing for the values of d in the range between zero and unity (or, $0 < d < 1$) adds a flexibility that plays an important role in modeling of the long-run dependence in time series³.

Bollerslev (1996, indicates that if $d = 0$, the series is covariance stationary and possesses a short memory process, whereas in the case of $d = 1$, the series is non-stationary. However, in the case of $0 < d < 0.5$, the series, even though covariance stationary, its auto-covariance decays much more slowly than the ARMA process. If d is $0.5 < d < 1$, the series is no longer covariance stationary, but still mean reverting with the effect of a shock persist for a long period of time, and in that case, the process is said to have a long memory. Given a discrete time series, y_t , with autocorrelation function, ρ_j , at lag j , McLeod and Hipel (1978) define long memory as a process:

$$\sum_{j=-n}^n |\rho_j| \quad \text{as } n \rightarrow \infty \quad (9)$$

characterized as non-finite. In the non-stationary and in the long memory process, the shock e_t at time t , continues to influence the future y_{t+k} for a longer horizon, k , than would be the case for the standard stationary ARMA process. While there are varieties of ways to estimate the parameters of (3) and (4), in this paper we employed the maximum likelihood estimator.

EMPIRICAL RESULTS

Estimation of parameters

The analysis in this research is based on monthly data for six food commodity prices, during the sample period from October 1984 to September 2009. The food commodities include wheat, rice, sugar, beef, coffee, and groundnut. All price series were collected from the Index Mundi website, which in turn was extracted from the the IMF, Primary Commodity Price Tables⁴. We employed the maximum likelihood estimation method to estimate the parameters in equations (2)–(5). The graphical exposition of price changes (see the Figures 1–6) indicates the evidence of volatility clustering, which is the phenomenon that large changes in asset prices, in either sign, tend to be followed by large changes, and small changes are followed by small changes. Table 1 presents the estimation results of the parameters in equation (3) under both the normal and the t -distribution errors. Results of GARCH(1,1) parameters show the evidence of stationarity of the conditional volatility; whereas the sample autocorrelation statistic indicated by the squared values of Ljung-Box, $Q(5)$ suggests that the conditional homoskedasticity can be rejected for all six commodities. Also the results of the LM statistics for ARCH(5) errors confirm the significance of the ARCH effects in the data. The log likelihood and the information criteria test results overwhelmingly support the t -distribution specification of the innovations in the AR(1) model in equation (1). This is consistent with the existing literature on asset markets, which indicates the evidences of the conditional leptokurtosis in the high and medium frequency data analysis (Bai




Figure 1. Groundnut price change

³See Diebold and Rudebusch (1989); Cunado et al (2005); and Ding and Granger (1996) for a detailed discussion about the importance of allowing for non-integer values of integration when modeling long-run dependence in the conditional mean of time series data.

⁴<http://www.indexmundi.com/>




Figure 2. Sugar price change




Figure 3. Rice price change




Figure 4. Coffee price change




Figure 5. Beef price change




Figure 6. Wheat price change

and Ng 2003). To investigate further the robustness of the t -distribution model, we conducted, using the out-of-sample forecast analysis, the predictive power of the two models. Diebold and Mariano (1995)

(DM) test was employed to compare the accuracy of forecast results. When comparing the forecasts from two competing models; model A, and model B, an important question that needs to be taken into account

Table 1. Estimation of parameters

	Wheat		Rice		Beef	
	normal	t -dist.	normal	t -dist.	normal	t -dist.
w	0.068	0.01	0.58	0.41	0.061	0.004
(p -value)	(0.24)	(0.05)	(0.12)	(0.00)	(0.14)	(0.03)
α	0.00	0.74	0.00	0.003	0.00	0.44
(p -value)	(0.94)	(0.00)	(0.93)	(0.67)	(0.93)	(0.00)
β	0.63	0.10	0.003	0.82	0.24	0.01
(p -value)	(0.00)	(0.01)	(0.95)	(0.00)	(0.00)	(0.79)
Q^2 (5)	7.99	286	73.8	44.1	86	12.4
(p -value)	(0.15)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
LM (5)	144*	6.83*	96.1*	33.2*	88*	10.9*
Log-likelihood function	177	13 746	-798	12 586	461	13 509
AIC	0.18E-1	0.27E-41	13.12	0.69E-38	0.26E-2	0.13E-40
SC	0.19E-1	0.28E-41	13.62	0.72E-38	0.27E-2	0.14E-40
HQ	0.18E-1	0.27E-41	13.32	0.70E-38	0.26E-2	0.13E-40
	Groundnut		Sugar		Coffee	
	normal	t -dist.	normal	t -dist.	normal	t -dist.
w	0.00	0.01	0.068	0.005	0.16	0.04
(p -value)	(0.94)	(0.00)	(0.00)	(0.00)	(0.20)	(0.05)
α	0.28	0.00	0.12	0.00	0.00	0.18
(p -value)	(0.24)	(0.81)	(0.22)	(0.86)	(0.94)	(0.08)
β	0.59	0.25	0.16	0.17	0.38	0.02
(p -value)	(0.02)	(0.00)	(0.01)	(0.01)	(0.00)	(0.66)
Q^2 (5)	103	76.6	15.72	15.42	94.1	99.2
(p -value)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)
LM (5)	43.6*	40.62*	5.25*	6.32*	50.03*	110.5*
Log-likelihood function	844	1 2939	907	12912	-230	14530
AIC	0.19E-3	0.63E-39	0.13E-3	0.76E-39	0.28	0.13E-43
SC	0.20E-3	0.66E-39	0.14E-3	0.79E-39	0.29	0.14E-43
HQ	0.20E-3	0.64E-39	0.13E-3	0.77E-39	0.28	0.13E-43

Note: Estimated values of parameters rounded into two decimals; terms in parenthesis are p -values

*significant at 5% significance level

Table 2. RMSE loss functions and Diebold & Mariano test

	RMSE loss functions		D&M statistic
	normal	<i>t</i> -dist.	
Wheat <i>p</i> -value	0.0068	0.005	19.19 (0.00)
Rice <i>p</i> -value	0.40	0.006	40.83 (0.00)
Beef <i>p</i> -value	0.0062	0.005	24.52 (0.00)
Groundnut <i>p</i> -value	0.0037	0.001	52.3 (0.00)
Sugar <i>p</i> -value	0.0071	0.0079	485 (0.00)
Coffee <i>p</i> -value	0.15	0.0037	12.81

*The loss functions are based on three days ahead forecast errors

Under the null hypothesis of equal forecast accuracy, DM is asymptotically normally distributed

is, whether the prediction of model A is significantly more accurate, in terms of a loss function, than the prediction of model B. The Diebold and Mariano test aims to test the null hypothesis of the equality of forecast accuracy against the alternative of the different forecasts across models. Table 2 reports the predictive power of the two models (the normal distribution and the *t*-distribution innovations) using the Root Mean Squared Error (RMSE) of forecast values of the conditional volatility.

Results in Table 3 report the FIGARCH(1, *d*, 1) results, and indicate a strong evidence of the stationary short memory process for the four of the six commodities, as only beef and coffee exhibit the long memory behavior (covariance non-stationary, but mean reverting). This result implies that for the food commodities exhibiting the short memory process, a shock is not likely to persist for a long period.

CONCLUDING REMARKS

The paper employs two competing models, including the thin tailed the normal distribution and the fat-tailed Student *t*-distribution models, to explore the volatility in the global food commodity prices of wheat, rice, beef, groundnut, sugar, and coffee. The sample period in the study includes monthly data covering the period from October 1984 to September 2009. Using the predictive power of the volatility forecast and other goodness of fit measures, the performance of each model was assessed. The analysis in the paper indicates that the *t*-distribution model outperforms the normal distribution model, revealing the evidence of leptokurtosis in the volatility of food commodity prices. This result implies that if such leptokurtic behavior is not taken into account when estimating the conditional volatility, the standard option pricing formula of Black and Scholes, which depends on the expected volatility parameter, could lead into unreliable results when pricing the future option contracts in the commodity markets. The paper also shows that the volatility of the future

Table 3. FIGARCH (1,*d*,1): *t*-distribution and normal distribution

Parameters	Wheat	Rice	Beef	Groundnut	Sugar	Coffee
<i>t</i>-distribution						
\hat{d}_1 (standard error)	0.48 (8.04)	0.44 (7.2)	0.57* (10.2)	0.42 (6.0)	0.47 (6.6)	0.56* (10.1)
$\hat{\Phi}_1$ (standard error)	-0.49 (-7.6)	-0.45 (-7.01)	-0.58 (-10.3)	-0.17 (-2.1)	-0.16 (-1.92)	-0.58 (-10.4)
$\hat{\theta}_1$ (standard error)	0.01 (0.01)	0.01 (0.002)	0.4 (0.01)	0.01 (0.01)	0.02 (0.01)	0.01 (0.01)
Log-likelihood function	201	-676	475	837	886	-205
Normal distribution						
\hat{d}_1 (standard error)	0.75* (8.6)	0.55* (9.9)	0.59* (9.4)	0.41 (5.01)	0.48 (7.1)	0.63* (11.87)
$\hat{\Phi}_1$ (standard error)	-0.39 (-4.36)	-0.59 (-10.4)	-0.44 (-6.3)	-0.05 (-0.58)	-0.19 (-2.44)	-0.44 (-7.7)
$\hat{\theta}_1$ (standard error)	0.82 (0.62)	9.7 (0.47)	-14.0 (-1.79)	8.28 (0.59)	-6.2 (-2.25)	52.5 (8.47)
Log-likelihood function	97.1	-683	438	850	884	-152

*mean reverting, but long memory process

commodity prices is mean reverting, and exhibits the short memory behavior for all commodities, except for beef and coffee which show an intermediate memory behavior. The short term persistence implies that the effect of shocks on the future conditional variance persists only for short periods.

REFERENCES

- Babula R., Somwaru A. (1992): Dynamic impacts of a shock in crude oil price on agricultural chemical and fertilizer prices. *Agribusiness*, 8: 243–252.
- Bai J., Serena Ng (2005): Tests for skewness, kurtosis, and normality for time series data. *Journal of Business and Economic Statistics*, American Statistical Association, 23: 49–60.
- Baillie R. (1996): Long memory process and fractional integration in econometrics. *Journal of Econometrics*, 37: 5–60.
- Barone-Adesi G., Whaley R. (1987): Efficient analytic approximation of American option values. *Journal of Finance*, 42: 301–320.
- Black F., Scholes M. (1993): The pricing of options and corporate liabilities. *Journal of Political Economy*, 81: 637–659.
- Bollerslev T., Engle R., Nelson D. (2003): ARCH Models. In: Editors Engle R., McFadden D. (eds.): *Handbook of Econometrics*, Vol. 4, chapter 39.
- Bollerslev T., Mikkelsen H. (1996): Modeling and pricing long memory in stock market volatility. *Journal of Econometrics*, 37: 151–184.
- Brooks C., Persaud G., (2003): The effect of asymmetries on stock index returns value-at-risk estimates. *Journal of Risk Finance*, 4: 29–42.
- Cunado J., Gil-Alana L., Perez de Gracia F. (2005): A test for rational bubbles in the NASDAQ stock index: a fractionally integrated approach. *Journal of Banking & Finance*, 29: 2633–2654.
- Diebold F., Mariano R. (1995): Comparing predictive accuracy. *Journal of Business and Economic Statistics*, 13: 253–263.
- Diebold F., Rudebusch G. (1991): On the power of Dickey-Fuller tests against fractional alternatives. *Econometric Letters*, 35: 155–160.
- Ding Z., Granger C. (1996): Modeling volatility persistence of speculative returns: a new approach. *Journal of Econometrics*, 37: 185–216.
- Du X., Cindy L., Dermot J. (2009): *Speculation and Volatility Spillover in the Crude Oil and Agricultural Commodity Markets: A Bayesian Analysis*. Working Paper 09-WP 491, Center for Agricultural and Rural Development, Iowa State University. Available at www.card.iastat.edu
- Engle R. (2002): New frontiers for arch models. *Journal of Applied Econometrics*, 17: 425–446.
- Engle R., Bollerslev T. (1986): Modeling the persistence of conditional variances. *Econometric Reviews*, 5: 1–50.
- Engle R.F. (1982): Autoregressive conditional heteroscedasticity with estimates of the variance of United Kingdom inflation. *Econometrica*, 50: 987–1008.
- FAO (Food and Agricultural Organization) (2008): *Food Outlook Report*, June.
- Granger C., Ding Z. (1996): Varieties of long memory models. *Journal of Econometrics*, 37: 61–78.
- Hamilton J. (1994): *Time Series Analysis*. Princeton University Press, Princeton, New Jersey.
- Hansen P., Launde A. (2003): *A Forecast Comparison of Volatility Models: Does anything Beat a GARCH(1,1)?* Working Paper, Brown University, Department of Economics.
- IATP (Institute for Agriculture and Trade Policy) (2008): *Commodity Market Speculation: The Risk to Food Security and Agriculture*. Report, Minneapolis, Minnesota, November.
- Kroner K., Kneafsey D., Classens S. (1993): *Forecasting Volatility in Commodity Markets*. Policy Research Working Paper 1226, The World Bank, Washington.
- McLeod A., Hipel K. (1978): Preservation of the rescaled adjusted range 1: A reassessment of the Hurst phenomenon. *Water Resource Research*, 14: 491–508.
- Shephard N. (2005): *Stochastic Volatility: Selected Reading*. Oxford University Press, New York.
- Taylor S. (1994): Modelling stochastic volatility. *Mathematical Finance*, 4: 183–204.
- Uri N. (1996): Changing crude oil price effects on U.S. agricultural employment. *Energy Economics*, 18: 185–202.
- Vilasuso J. (2002): Forecasting exchange rate volatility. *Economic Letters*, 76: 59–64.

Arrived on 9th March 2010

Contact address:

Ibrahim A. Onour, Arab Planning Institute, Kuwait, P.O. Box 5834, Safat 13059 State of Kuwait
 Bruno S. Sergi, University of Messina, Via T. Cannizzaro, 9, I-98122 Messina, Italy
 e-mails: onour@api.org.kw, ibonour@hotmail.com
